



Pantry Breakfast Casserole + Kitchen Sink Shake

By Dylan Sabuco

Prep Time 15 / **Cook Time** 30 / **Serves** 4 - 6

Shopping List

FRESH AND FROZEN

1 C frozen hash browns

1 banana

1 C strawberries

DAIRY AND EGGS

6 large eggs **** (see allergy subs below) ****

2 1/4 C milk **** (see allergy subs below) ****

1 T butter **** (see allergy subs below) ****

2 C plain yogurt **** (see allergy subs below) ****

PANTRY

3 slices nut-free bread (your choice of type) **** (see allergy subs below) ****

1 tsp salt

1/2 tsp ground black pepper

1/4 C honey

CASSEROLE INGREDIENT OPTIONS (Choose at least 3)

1 C mushrooms

1 C bell peppers

4 green onions

- 1 zucchini
- 1 C spinach
- 1 block of extra firm tofu ******(see allergy subs below)******
- 1 C broccoli
- 1/2 C cheese, your choice (mozzarella, feta, cheddar, and Swiss all work well) ******(see allergy subs below)******

Fun-Da-Mentals Kitchen Skills

bake: to cook food with dry heat, as in an oven.

measure: to calculate the specific amount of an ingredient required using a measuring tool (like measuring cups or spoons).

chop: to cut something into small, rough pieces using a blade.

mix: to thoroughly combine two or more ingredients until uniform in texture.

measure: to calculate the specific amount of an ingredient required using a measuring tool (like measuring cups or spoons).

blend: to stir together two or more ingredients until just combined; blending is a gentler process than mixing.

Equipment

- Large skillet
- Baking dish (8x8 or similar size)
- Cutting board
- Kid-safe knife
- Mixing bowls
- Dry measuring cups
- Liquid measuring cup
- Measuring spoons
- Whisk
- Heat-resistant spatula
- Blender (or pitcher + immersion blender)

Ingredients

Pantry Breakfast Casserole

- 3 slices nut-free bread (your choice of type) **** (for CELIAC/GLUTEN ALLERGY sub 3 slices gluten-free/nut-free bread)****
- 1 C frozen hash browns
- 6 large eggs **** (for EGG ALLERGY sub 1 block extra-firm tofu, if no soy allergy—more info below)****
- 1 tsp salt
- 1/2 tsp ground black pepper
- 1/4 C milk **** (for DAIRY ALLERGY sub 1/4 C water)****
- 1 T butter **** (for DAIRY ALLERGY sub 1 T dairy-free/nut-free butter OR nut-free oil)****
- Choose at least 3 casserole ingredients:
 - 1 C mushrooms
 - 1 C bell peppers
 - 4 green onions
 - 1 zucchini
 - 1 C spinach
 - 1 block extra firm tofu **** (Omit for SOY ALLERGY)****
 - 1 C broccoli
 - 1/2 C cheese, your choice (mozzarella, feta, cheddar, and Swiss all work well) **** (Omit for DAIRY ALLERGY)****

Kitchen Sink Shake

- 2 C milk + more if needed **** (for DAIRY ALLERGY sub 1 can coconut milk)****
- 2 C plain yogurt **** (for DAIRY ALLERGY sub 2 C dairy-free/nut-free plain yogurt)****
- 1/4 C honey
- 1 banana
- 1 C strawberries

Food Allergen Substitutions

Pantry Breakfast Casserole

Celiac/Gluten/Wheat: For 3 slices nut-free bread, substitute 3 slices gluten-free/nut-free bread.

Egg: For 6 large eggs, substitute 1 block of extra-firm tofu, if no soy allergy is present. Make a tofu scramble instead of a baked casserole. Chop the tofu and sauté it along with the other ingredients, omitting the 1/4 C milk.

Dairy: For 1/4 C milk, substitute 1/4 C water. For 1 T butter, substitute 1 T dairy-free/nut-free butter OR nut-free oil. Omit cheese.

Soy: Omit extra-firm tofu.

Kitchen Sink Shake

Dairy: For 2 C milk, substitute 1 can of coconut milk. For 2 C plain yogurt, substitute 2 C dairy-free/nut-free yogurt.

Instructions

Pantry Breakfast Casserole

intro

This recipe is a personal favorite of mine. Every weekend I like to sleep in and have big breakfasts. Those are two of my favorite weekend activities. This week's pantry breakfast casserole recipe is perfect for waking up late, grabbing whatever are your favorite ingredients in your pantry are, and baking them into a delicious, quick breakfast.

chop

Start by roughly chopping **3 bread slices**, **1 cup hash browns**, and all the **casserole ingredients** you chose from the list. Place all the chopped food into a large bowl. Make sure to chop everything small enough that you can fit a piece of everything into one forkful when you eat later.

crack + measure + whisk

Into a separate medium bowl, crack **6 eggs**, measure **1/4 cup milk**, **1 teaspoon salt**, and **1/2 teaspoon black pepper**. Whisk to combine.

sauté + pour

In a large skillet, melt **1 tablespoon of butter** over medium heat. Then, add the **chopped bread, hashbrowns, and vegetables** and sauté for 5 minutes. Stir often. Pour the bread and vegetable mixture into an 8x8 baking dish (or similar size). Next, pour the egg mixture over the mixture in the baking dish.

bake

Preheat your oven to 375 F. Slide the baking dish into the oven and bake for 25 minutes or until a knife

inserted into the center can be removed cleanly.

cool + slice + devour

Allow the casserole to cool for a few minutes. Slice into enough pieces for everyone in your family to devour! Enjoy!

Kitchen Sink Shake

measure + blend

Into a blender (or pitcher for use with an immersion blender) measure **2 cups milk, 2 cups yogurt, 1/4 cup honey, 1 banana,** and **1 cup strawberries.** Blend until smooth.

pour + slurp

You can add a splash of extra milk to make the shake smoother. Pour into cups and slurp it up! See who can make the best milk mustache. Enjoy!

Featured Ingredient: Eggs!

Hi! I'm an Egg!

"Specifically, I'm a chicken egg! Of course, there are eggs from all sorts of other creatures, but humans primarily eat the eggs of fowls, mostly chickens. Although, they will eat the eggs of ducks, geese, and even ostriches (the same as 24 chicken eggs!). Some people also eat reptile eggs and fish eggs (think caviar!)."

History

Some animals reproduce by laying eggs (or reproductive cells). These animals include fish, reptiles, insects, a few mammals, like the platypus, and birds, including ducks and chickens.

What came first? The chicken or the egg? Were chickens first domesticated for their meat, or were they raised to gather their eggs for food? When early man first began raising chickens sometime before 7500 BCE, it may have been for their eggs.

Eggs used to be carried in baskets. The first egg carton was invented in 1911 by Joseph Coyle, a newspaper editor from British Columbia, Canada, to solve a dispute involving broken eggs delivered in a basket. His design was improved upon in 1921 by Morris Koppelman, and then in 1931, Francis H Sherman of Massachusetts developed a carton from pressed paper pulp similar to what we use today. Egg cartons can hold 12, 18, or 30 eggs.

The white Leghorn chicken is commonly used for laying white eggs, and the Rhode Island Red and New Hampshire Red breeds, both reddish brown, are the primary sources of brown eggs.

The brown-colored egg tends to be more expensive than its white counterpart, usually because the hens laying brown eggs are larger and eat more feed, increasing costs to the farm. Other than color, there is no difference between a white and brown egg.

Anatomy

Chicken eggs contain a yellow yolk, semi-transparent white, and an outer protective shell. A membrane (film layer) lines the eggshell; however, it is usually not visible unless you peel a boiled egg.

The egg yolk provides the most nutrients for a developing embryo because it has more protein than the white. The yolk also contains all the fat and more vitamins, especially fat-soluble vitamins.

The egg white or albumen is about 90 percent water and contains no fat or cholesterol. It protects the yolk and is also a source of protein and a few vitamins for an embryo.

Chicken eggshell membranes can be used as a dietary supplement. The membranes are made up mostly of fibrous collagen type 1 fibers.

According to the USDA, the eggshell comprises about 94 percent calcium carbonate and some additional elements, including protein. The calcium carbonate from eggshells is used as a dietary calcium supplement for people who do not get enough calcium from their food.

There are 7 to 17,000 tiny pores on the shell surface, with a greater number at the large end. As the egg ages, these minute holes permit moisture and carbon dioxide to move out and air to move in to form the air cell. The egg can also absorb refrigerator odors through the pores, so always refrigerate eggs in their cartons.

How to Buy & Eat

You can buy eggs from farm stands and at grocery stores. Always open the lid of a carton and check the eggs you want to purchase to avoid buying eggs with cracked or broken eggshells that would have to be thrown away. Any bacteria present on the eggshell could enter through a crack and contaminate the egg inside.

Aside from their color, brown and white eggs are the same in every way, including taste and nutrition, so choose eggs based on price and quality, not on color.

The three grades of eggs that determine the quality of the egg and condition of the shell are: Grade AA, A, and B. According to the USDA, Grade AA eggs have thick and firm whites and yolks that are high, round, and practically free from defects, with clean, unbroken shells. Grade AA and A eggs are preferred when frying or poaching. You would seldom find Grade B eggs in stores because they are mostly used to make liquid, frozen, and dried egg products.

Various types of eggs are available at the grocery store, and some are more expensive than others. These include eggs from hens raised outside a cage but not necessarily outdoors (cage-free) or allowed to roam free outdoors in a pasture (pasture-raised).

Eggs contain some omega-3 fatty acids, but eggs labeled as high in omega-3 fatty acids have more due to flaxseed or fish oil being added to the hens' diets. Other eggs are labeled "organic" if the hens are not raised in a cage, can access the outdoors, are fed organic feed, and are not given hormones or antibiotics. "Vegetarian" eggs are from hens that do not eat feed containing animal by-products.

Store eggs in the refrigerator to keep them fresher, as they will age faster at room temperature.

Eggs are available year-round to provide delicious meals on their own and as an essential ingredient for the many baked goods and sauces that would never be the same without them.

Eggs are enormously versatile. The chef's hat, called a "toque" (pronounced "tōk"), is said to have a pleat for each of the many ways you can cook eggs.

You can tell whether an egg is raw or hard-boiled by spinning it. Because the liquids have set into a solid, a hard-boiled egg will easily spin. On the other hand, the moving fluids in a raw egg will cause it to wobble.

Whole eggs are eaten soft or hard-boiled, fried, or poached, or they are added to cake and other batters.

Egg yolks are used in pasta, sauces, fruit curds, crème brûlée, and ice cream. Egg whites are part of meringues, angel food cakes, French macarons, and coconut macaroons. You can also use whipped egg whites to leaven (raise) a cake.

Nutrition

A large, boiled egg is a good source of low-cost, high-quality protein, providing 12.6 grams with only 78 calories.

Eggs are rich in vitamin B12 and riboflavin (B2) and supply varying amounts of many other nutrients, including a wide variety of other vitamins and minerals. In addition, the yolk contains a higher percentage of an egg's vitamins than the white, including all of the vitamins A, D, E, and K.

Egg yolks are one of the few foods that naturally contain vitamin D. They also have choline. This essential nutrient benefits your brain, nervous system, liver function, and cardiovascular system.

Some people have an allergy or food intolerance to eggs, especially egg whites. It is one of the most common allergies in babies but is often outgrown during childhood.